CONTENTS

VOLUME 118 · NUMBER 1 · JULY 2001

1 Fredrik Elinder, Roope Männikkö, and H. Peter Larsson. S4 charges move close to residues in the pore domain during activation in a K channel

11 Michael Wacke and Gerhard Thiel. Electrically triggered all-or-none Ca^{2+}-liberation during action potential in the giant alga *Chara*

23 Mei-Fang Chen and Tsung-Yu Chen. Different fast-gate regulation by external Cl^- and H^+ of the muscle-type ClC chloride channels

33 Pin Li and S.R. Wayne Chen. Molecular basis of Ca^{2+} activation of the mouse cardiac Ca^{2+} release channel (ryanodine receptor)

45 Michael Pusch, Alessio Accardi, Antonella Liantonio, Loretta Ferrera, Annamaria De Luca, Diana Conte Camerino, and Franco Conti. Mechanism of block of single protopores of the *Torpedo* chloride channel ClC-0 by 2-(*p*-chlorophenoxy)butyric acid (CPB)

63 Thomas C. Rich, Tonia E. Tse, Joyce G. Rohan, Jerome Schaack, and Jeffrey W. Karpen. In vivo assessment of local phosphodiesterase activity using tailored cyclic nucleotide–gated channels as cAMP sensors

79 Ellen F. Barrett. *Commentary:* Contrasting contributions of endoplasmic reticulum and mitochondria to Ca^{2+} handling in neurons

83 Meredith A. Albrecht, Stephen L. Colegrove, Jarin Hongpaisan, Natalia B. Pivovarova, S. Brian Andrews, and David D. Friel. Multiple modes of calcium-induced calcium release in sympathetic neurons I: Attenuation of endoplasmic reticulum Ca^{2+} accumulation at low $[Ca^{2+}]_i$ during weak depolarization

101 Jarin Hongpaisan, Natalia B. Pivovarova, Stephen L. Colegrove, Richard D. Leapman, David D. Friel, and S. Brian Andrews. Multiple modes of calcium-induced calcium release in sympathetic neurons II: A $[Ca^{2+}]_i$- and location-dependent transition from endoplasmic reticulum Ca accumulation to net Ca release

113 Mathew W. Brock, Chris Mathes, and William F. Gilly. Selective open-channel block of *Shaker* (Kv1) potassium channels by S-nitrosodithiothreitol (SNDTT)

1a Abstracts of Papers at the Fifty-Fifth Annual Meeting of the Society of General Physiologists

31a Index to Authors of Abstracts

VOLUME 118 · NUMBER 2 · AUGUST 2001

135 Peng Chen, Tzyh-Chang Hwang, and Kevin D. Gillis. The relationship between cAMP, Ca^{2+}, and transport of CFTR to the plasma membrane

145 Paul S. Blank, Steven S. Vogel, James D. Malley, and Joshua Zimmerberg. A kinetic analysis of calcium-triggered exocytosis

157 Felipe Espinosa, Richard Fleischhauer, Anne McMahon, and Rolf H. Joho. Dynamic interaction of S5 and S6 during voltage-controlled gating in a potassium channel

171 Toshio Yamagishi, Ronald A. Li, Kate Hsu, Eduardo Marbán, and Gordon F. Tomaselli. Molecular architecture of the voltage-dependent Na channel: Functional evidence for α helices in the pore

183 Holger Möttig, Jana Kusch, Thomas Zimmer, Annette Scholle, and Klaus Benndorf. Molecular regions controlling the activity of CNG channels

193 Eduardo Perozo, Anna Kloda, D. Marien Cortes, and Boris Martinac. Site-directed spin-labeling analysis of reconstituted *MscI* in the closed state

207 Serge Crouzy, Simon Bernèche, and Benoît Roux. Extracellular blockade of K^+ channels by TEA: Results from molecular dynamics simulations of the KcsA channel

219 Mauri E. Krouse. *Commentary:* Is cystic fibrosis lung disease caused by abnormal ion composition or abnormal volume?

223 Robert Tarran, Barbara R. Grubb, John T. Gatzy, C. William Davis, and Richard C. Boucher. The relative roles of passive surface forces and active ion transport in the modulation of airway surface liquid volume and composition

VOLUME 118 · NUMBER 3 · SEPTEMBER 2001

237 Jing Wang, Shan Chen, and Steven A. Siegelbaum. Regulation of hyperpolarization-activated HCN channel gating and cAMP modulation due to interactions of COOH terminus and core transmembrane regions

251 Ravshan Z. Sabirov, Amal K. Dutta, and Yasunobu Okada. Volume-dependent ATP-conductive large-conductance anion channel as a pathway for swelling-induced ATP release

267 M. Zamir. Arterial branching within the confines of fractal L-system formalism

277 Guillermo Avila and Robert T. Dirksen. Functional effects of central core disease mutations in the cytoplasmic region of the skeletal muscle ryanodine receptor

291 Sandrine Cestèle, Todd Scheuer, Massimo Mantegazza, Hervé Rochat, and William A. Catterall. Neutralization of gating charges in domain II of the sodium channel α subunit enhances voltage-sensor trapping by a β-scorpion toxin

303 Meredith LeMasurier, Lise Heginbotham, and Christopher Miller. KcsA: It's a potassium channel

315 Harley T. Kurata, Gordon S. Soon, and David Fedida. Altered state dependence of C-type inactivation in the long and short forms of human Kv1.5

VOLUME 118 · NUMBER 4 · OCTOBER 2001

333 Andrey V. Krylov, Peter Pohl, Mark L. Zeidel, and Warren G. Hill. Water permeability of asymmetric planar lipid bilayers: Leaflets of different composition offer independent and additive resistances to permeation

341 Peter Proks, Charlotte E. Capener, Phillippa Jones, and Frances M. Ashcroft. Mutations within the P-loop of Kir6.2 modulate the intraburst kinetics of the ATP-sensitive potassium channel

355 Péter Szentesi, Claude Collet, Sándor Sárközi, Csaba Szegedi, István Jona, Vincent Jacquemond, László Kovács, and László Csernoch. Effects of dantrolene on steps of excitation-contraction coupling in mammalian skeletal muscle fibers

377 Hugh R. Matthews, M.C. Cornwall, and R.K. Crouch. Prolongation of actions of Ca^{2+} early in phototransduction by 9-demethylretinal

391 Scott A. John, James N. Weiss, and Bernard Ribalet. Regulation of cloned ATP-sensitive K channels by adenine nucleotides and sulfonylureas: Interactions between SUR1 and positively charged domains on Kir6.2

407 Stephen S. Smith, Xuehong Liu, Zhi-Ren Zhang, Fang Sun, Thomas E. Kriewall, Nael A. McCarty, and David C. Dawson. CFTR: Covalent and noncovalent modification suggests a role for fixed charges in anion conduction

433 Xuehong Liu, Stephen S. Smith, Fang Sun, and David C. Dawson. CFTR: Covalent modification of cysteine-substituted channels expressed in *Xenopus oocytes* shows that activation is due to the opening of channels resident in the plasma membrane

VOLUME 118 · NUMBER 5 · NOVEMBER 2001

447 George J. Baldo, Xiaohua Gong, Francisco J. Martinez-Wittinghan, Nalin M. Kumar, Norton B. Gilula, and Richard T. Mathias. Gap junctional coupling in lenses from α_8 connexin knockout mice

457 Charles J. Frazier, Jose R. Serrano, Eric G. George, Xiaofeng Yu, Ahalya Viswanathan, Edward Perez-Reyes, and Stephen W. Jones. Gating kinetics of the α1I T-type calcium channel

471 Michael Gordon and Alan Finkelstein. The number of subunits comprising the channel formed by the T domain of diphtheria toxin

481 Li-Qun Gu, Stephen Cheley, and Hagan Bayley. Prolonged residence time of a noncovalent molecular adapter, β-cyclodextrin, within the lumen of mutant α-hemolysin pores

495 Christina M. Wilkens, Manfred Grabner, and Kurt G. Beam. Potentiation of the cardiac L-type Ca^{2+} channel (α_{1C}) by dihydropyridine agonist and strong depolarization occur via distinct mechanisms

509 Tao Lu, Li Wu, Jun Xiao, and Jian Yang. Permeant ion-dependent changes in gating of Kir2.1 inward rectifier potassium channels

523 Edgar C. Young, Daniel M. Sciubba, and Steven A. Siegelbaum. Efficient coupling of ligand binding to channel opening by the binding domain of a modulatory (β) subunit of the olfactory cyclic nucleotide-gated channel

547 Jie Zheng, Lalitha Vankataramanan, and Fred J. Sigworth. Hidden Markov model analysis of intermediate gating steps associated with the pore gate of *Shaker* potassium channels

563 Mark E. Nelson, Fan Wang, Alexander Kuryatov, Catherine H. Choi, Volodymyr Gerzanich, and Jon Lindstrom. Functional properties of human nicotinic AChRs expressed by IMR-32 neuroblastoma cells resemble those of α3β4 AChRs expressed in permanently transfected HEK cells

583 Karl L. Magleby. *Commentary:* Kinetic gating mechanisms for BK channels: When complexity leads to simplicity

589 Jingyi Shi and Jianmin Cui. Intracellular Mg^{2+} enhances the function of BK-type Ca^{2+}-activated K^+ channels

607 X. Zhang, C.R. Solaro, and C.J. Lingle. Allosteric regulation of BK channel gating by Ca^{2+} and Mg^{2+} through a nonselective, low affinity divalent cation site

637 Correction

VOLUME 118 · NUMBER 6 · DECEMBER 2001

639 Froylán Gómez-Lagunas. Na^+ interaction with the pore of *Shaker* B K^+ channels: Zero and low K^+ conditions

649 Withrow Gil Wier. *Commentary:* A new view of Ca^{2+} sparks in frog skeletal muscle

653 S. Hollingworth, J. Peet, W.K. Chandler, and S.M. Baylor. Calcium sparks in intact skeletal muscle fibers of the frog

679 Stephan Kellenberger, Muriel Auberson, Ivan Gautschi, Estelle Schneeberger, and Laurent Schild. Permeability properties of ENaC selectivity filter mutants

693 Joshua A. Bornhorst and Joseph J. Falke. Evidence that both ligand binding and covalent adaptation drive a two-state equilibrium in the aspartate receptor signaling complex

711 Brenda L. Moss and Karl L. Magleby. Gating and conductance properties of BK channels are modulated by the S9–S10 tail domain of the α subunit. A study of mSlo1 and mSlo3 wild-type and chimeric channels